

WESTBROOK

A MICRODENTAL LABORATORY

Founded in 1981 by Paul and Vickie Westbrook

3309 Essex Drive, Suite 100
Richardson, TX · 75082
P972 840 0858 · 800 718 3384

Crown & Bridge Rx

Rx Date _____

Case # _____

Date Wanted _____ Time _____

Doctor Information

Name _____

Address _____

Telephone _____

Patient Information

Name _____

Sex _____ Age _____

Diagnostic Wax Up Temporaries

Call me (before proceeding with case)

Important Laboratory Email Addresses

Paul Westbrook: PWestbrook@MicroDental.com

Vickie Westbrook: vwestbrook@MicroDental.com

Pictures: SmileByWestbrook@MicroDental.com

SmilesByWestbrook@MicroDental.com

General Information: Westbrook@MicroDental.com

Rx _____

Have You Included The Following?

- Impression
- Bite
- Opposing
- Shade
- Pre-Op model
- Photos
- Model of temps
- Bite stick
- Face bow

Please Send

- Prescription forms
- Plastic bags
- Case Boxes

Return For


- Die Trim
- Metal Try-in
- Finish
- Evaluation
- Wax check
- Bisque bake try-in

If Insufficient Room

- Reduce and mark
- Metal occlusion
- Reduction coping
- Please call

If Case Will Not Draw

- Make reduction copings
- Please call
- Surgical Stent



Shade _____ Stump _____

Amount Of Translucency

Light Medium Heavy

Value

Bright Medium Low

Midline Shift

R _____ MM L _____ MM

_____ MM

Length of centrals from cervical margin

Close Diastema

Circle Teeth Numbers

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16



32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17

Metal

- High Noble Noble
- Non-Precious

Occlusion

Metal Porcelain

Lateral Excursion

Cuspid guidance Group Function

Labial Margin

Fine metal collar on tooth # _____ Show no metal standard on # _____

Show no metal 360° on tooth # _____ Porcelain Butt Margin on tooth # _____

Lingual Margin

Fine metal collar on tooth # _____ Show no metal standard on # _____

Show no metal 360° on tooth # _____ Porcelain Butt Margin on tooth # _____

Contacts

Broad Normal Point

Doctor's Signature _____ License # _____

White - Lab Copy Blue - Doctor's Copy

Occlusal Staining

- None
- Light
- Medium
- Dark
- Hypo-calcification
- Shade tab enclosed

Mold Of Crown Desired

- Follow study model
- Match existing
- Make ideal

Surface Anatomy

- Smooth
- Textured
- Mamelon development
- Match existing

Pontic Design

  
Harmony Ovate Ridge Lap

 
Cone Hygienic

Pontic Tissue Relief

Yes, mm deep _____ No